



January 19, 1983

iowa department of environmental quality

reply to: Eugene N. Evans - Main Office
phone: 515/281-8912

Jack Coakley
U.S. EPA VII

IAD 005264940

Mr. Henry P. Braunlich
Brammer Mfg. Company
P.O. Box 3547
1701 Rockingham Road
Davenport, IA 52808

Dear Mr. Braunlich:

This is to respond to your letter of January 7, 1982 regarding the hazardous-nonhazardous determination of your paint sludge. A review of the lab analyses indicates that the lab sample did not exhibit the characteristic of ignitability. Further, the sample does not exhibit the characteristic of EP Toxicity for the metals for which there are standards. However, the EP Toxicity analyses for Endrin, Lindane, Methoxychlor, Toxaphene, 2,4D and 2,4,5TP Silvex are not given. NOTE: It must be pointed out that paint waste has been suspended from the Subpart D listing and only need be evaluated according to Subpart C which is also attached.

If you have any questions, please contact this office.

Sincerely,

AIR & LAND QUALITY DIVISION

Rod Vlioger
Rod Vlioger, P.E.
Chief, Land Operations

RV:LH:mla/SWW019F09.01

cc: DEQ Region 6
Jack Coakley, U.S. EPA - Region VII

EPA-ARHM/HAZM

JAN 21 REC'D

Region VII K.C., MO



R00129951
RCRA RECORDS CENTER

Main Office: Henry A. Wallace Building, Des Moines, Iowa 50319

Regional Office #1
209 N. Franklin St.
Manchester 52057

Regional Office #2
509 S. President
P.O. Box 1443
Mason City 50401

Regional Office #3
401 Grand Ave.
P.O. Box 270
Spencer 51301

Regional Office #4
316 Walnut
Atlantic 50022

Regional Office #5
Henry A. Wallace
Building
Des Moines 50319

Regional Office #6
117 N. 2nd Ave.
P.O. Box 27
Washington 52353



iowa department of environmental quality

reply to:
phone:

Eugene N. Evans - Main Office
515/281-8912

January 19, 1983

Mr. Henry P. Braunlich
Brammer Mfg. Company
P.O. Box 3547
1701 Rockingham Road
Davenport, IA 52808

RECORD COPY

File Name

Brammer Mfg Co. Cont-7-1

Senders Initials

gxe

Dear Mr. Braunlich:

This is to respond to your letter of January 7, 1982 regarding the hazardous-nonhazardous determination of your paint sludge. A review of the lab analyses indicates that the lab sample did not exhibit the characteristic of ignitability. Further, the sample does not exhibit the characteristic of EP Toxicity for the metals for which there are standards. However, the EP Toxicity analyses for Endrin, Lindane, Methoxychlor, Toxaphene, 2,4D and 2,4,5TP Silvex are not given. NOTE: It must be pointed out that paint waste has been suspended from the Subpart D listing and only need be evaluated according to Subpart C which is also attached.

If you have any questions, please contact this office.


Sincerely,

AIR & LAND QUALITY DIVISION

RVL
Rod Vlieger, P.E.
Chief, Land Operations

RV:LH:mla/SWW019F09.01

cc: DEQ Region 6
Jack Coakley, U.S. EPA - Region VII



Main Office: Henry A. Wallace Building, Des Moines, Iowa 50319

Regional Office #1
209 N. Franklin St.
Manchester 52057

Regional Office #2
509 S. President
P.O. Box 1443
Mason City 50401

Regional Office #3
401 Grand Ave.
P.O. Box 270
Spencer 51301

Regional Office #4
316 Walnut
Atlantic 50022

Regional Office #5
Henry A. Wallace
Building
Des Moines 50319

Regional Office #6
117 N. 2nd Ave.
P.O. Box 27
Washington 52353